



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---------------------------|--------------------------|----------------------|-------------------------|------------------|
| 10/774,170 | 02/05/2004 | Anthony P. Lafalce | P04108 | 7302 |
| 28548 | 7590 02/07/2005 | | EXAMINER | |
| STONEMAN LAW OFFICES, LTD | | | MICHALSKY, GERALD A | |
| 3113 NORTI PHOENIX, | H 3RD STREET AZ 85012 | | ART UNIT | PAPER NUMBER |
| , | | | 3753 | |
| | | | DATE MAILED: 02/07/2005 | |

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)



UNITED STATES DEPARTMENT OF COMMERCE

DATE MAILED:

U.S. Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

| APPLICATION NO./ CONTROL NO. | FILING DATE | FIRST NAMED INVENTOR / PATENT IN REEXAMINATION | | ATTORNEY DOCKET NO. | |
|---------------------------------|-------------|--|----------|---------------------|--|
| | | | | EXAMINER | |
| | | | | | |
| | | | ART UNIT | PAPER | |
| | | | | 020305 | |
| | | | | | |

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Application/Control Number: 10/774,170 Page 2

Art Unit: 3753

DETAILED ACTION

1. This application is in condition for allowance except for the presence of claim 37 to an invention non-elected with traverse in the reply filed on 27 October 2004.

Applicant is given ONE MONTH or THIRTY DAYS from the date of this letter, whichever is longer, to cancel the noted claims or take other appropriate action (37 CFR 1.144).

Failure to take action during this period will be treated as authorization to cancel the noted claims by Examiner's Amendment and pass the case to issue. Extensions of time under 37 CFR 1.136(a) will not be permitted since this application will be passed to issue.

The prosecution of this case is closed except for consideration of the above matter.

- 2. Counsel for the applicant telephoned the examiner on 02 February 2005, and requested clarification of the rejection mailed on 11 January 2005. In response the request for clarification, the rejection is hereby withdrawn. The cited references to Papacek and Blake do not disclose the frangibility as claimed in the allowed independent claims. Furthermore, Papacek does not even disclose a hydrant intended for use in fighting fires.
- 3. Claims 1-36 are allowed.
- 4. Claim 37 is withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected invention. Applicant timely traversed the restriction (election) requirement in the reply filed on 27 October 2004.
- 5. Note the attached Notice of References Cited, PTO-892.

Application/Control Number: 10/774,170 Page 3

Art Unit: 3753

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gerald A. Michalsky whose telephone number is (571) 272-4917. The examiner can normally be reached on M-F 5:30 AM - 2 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on (571) 272-4930. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gerald A. Michalsky Primary Examiner

Art Unit 3753